


=> d 11

L1 HAS NO ANSWERS

L1 STR



VAR G1=C/N

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RSPEC 5 16 13

NUMBER OF NODES IS 21

STEREO ATTRIBUTES: NONE

=> s 11 ful

FULL SEARCH INITIATED 14:54:24 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 11035 TO ITERATE

100.0% PROCESSED 11035 ITERATIONS

52 ANSWERS

SEARCH TIME: 00.00.01

L3 52 SEA SSS FUL L1

=> fil caplus

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION

FULL ESTIMATED COST

163.05	163.26
--------	--------

FILE 'CAPLUS' ENTERED AT 14:54:28 ON 14 DEC 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing

of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 14 Dec 2005 VOL 143 ISS 25
FILE LAST UPDATED: 13 Dec 2005 (20051213/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 13

L4 9 L3

=> d bib 1-9

L4 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2005:1016895 CAPLUS
DN 143:415586
TI G-Protein-Coupled Receptor Affinity Prediction Based on the Use of a
Profiling Dataset: QSAR Design, Synthesis, and Experimental Validation
AU Rolland, Catherine; Gozalbes, Rafael; Nicolaie, Eric; Paugam,
Marie-France; Coussy, Laurent; Barbosa, Frederique; Horvath, Dragos;
Revah, Frederic
CS Cerep, Rueil-Malmaison, 92500, Fr.
SO Journal of Medicinal Chemistry (2005), 48(21), 6563-6574
CODEN: JMCMAR; ISSN: 0022-2623
PB American Chemical Society
DT Journal
LA English
RE.CNT 26 THERE ARE 26 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2005:614589 CAPLUS
DN 143:133286
TI Preparation of 4-arylpiperidines as selective antagonists of melanin
concentrating hormone-1 (MCH1) receptors.
IN Marzabadi, Mohammad R.; Wetzel, John M.; Chen, Chien-An; Deleon, John E.;
Jiang, Yu; Lu, Kai
PA Synaptic Pharmaceutical Corporation, USA
SO U.S. Pat. Appl. Publ., 23 pp.
CODEN: USXXCO
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2005154020	A1	20050714	US 2004-757962	20040114
	WO 2005069834	A2	20050804	WO 2005-US1131	20050113
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW				
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
PRAI	US 2004-757962	A2	20040114		

OS MARPAT 143:133286

L4 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2005:611839 CAPLUS

DN 143:133280

TI Preparation of 4-arylpiperidines as selective antagonists for melanin concentrating hormone-1 (MCH1) receptors.

IN Marzabadi, Mohammad R.; Wetzel, John M.; Chen, Chien-An; Deleon, John E.; Jiang, Yu; Lu, Kai

PA H. Lundbeck A/S, USA

SO U.S. Pat. Appl. Publ., 29 pp.

CODEN: USXXCO

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2005154022	A1	20050714	US 2005-34611	20050113
PRAI	US 2004-536585P	P	20040114		

OS MARPAT 143:133280

L4 ANSWER 4 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:780358 CAPLUS

DN 141:295863

TI Preparation of N-(piperidinylalkyl)benzenealkanamides as selective MCH1 receptor antagonists for treatment of obesity and other conditions

IN Marzabadi, Mohammad R.; Wetzel, John M.; Chen, Chien-An; Jiang, Yu; Lu, Kai

PA Synaptic Pharmaceutical Corporation, USA

SO U.S. Pat. Appl. Publ., 87 pp., Cont.-in-part of U.S. Pat. Appl. 2004 73,036.

CODEN: USXXCO

DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2004186103	A1	20040923	US 2004-753057	20040106
WO	2003004027	A1	20030116	WO 2002-US21063	20020703
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW				
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
US	2004073036	A1	20040415	US 2003-345063	20030114
CA	2509456	AA	20040805	CA 2004-2509456	20040106
WO	2004064764	A2	20040805	WO 2004-US175	20040106
WO	2004064764	A3	20050113		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI				
EP	1590326	A2	20051102	EP 2004-700366	20040106
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
NO	2005003838	A	20050815	NO 2005-3838	20050815
PRAI	WO 2002-US21063	A2	20020703		

US 2003-345063 A2 20030114
US 2001-899794 A 20010705
US 2002-42582 A 20020109
WO 2004-US175 W 20040106

OS MARPAT 141:295863

L4 ANSWER 5 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:101130 CAPLUS

DN 140:145898

TI Preparation of benzanilides as modulators of the chemokine CCR5 receptor

IN Bondinell, William E.; Neeb, Michael J.

PA Smithkline Beecham Corporation, USA

SO PCT Int. Appl., 82 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004011427	A2	20040205	WO 2003-US23343	20030728
	WO 2004011427	A3	20050203		
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,				
	CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,				
	GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,				
	LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM,				
	PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN,				
	TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW:				
	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,				
	KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,				
	FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,				
	BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				

PRAI US 2002-400085P P 20020731

OS MARPAT 140:145898

L4 ANSWER 6 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:100953 CAPLUS

DN 140:128157

TI Preparation of benzanilides as modulators of the CCR5 receptor

IN Bondinell, William E.; Neeb, Michael J.

PA Smithkline Beecham Corporation, USA

SO PCT Int. Appl., 94 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004010943	A2	20040205	WO 2003-US23524	20030728
	WO 2004010943	A3	20040916		
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,				
	CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,				
	GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,				
	LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM,				
	PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN,				
	TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW:				
	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,				
	KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,				
	FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,				
	BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				

PRAI US 2002-400257P P 20020731

OS MARPAT 140:128157

L4 ANSWER 7 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN

AN 2004:41443 CAPLUS

DN 140:93936

TI Preparation of secondary amino anilinic piperidines as selective MCH1 antagonists with therapeutic uses

IN Marzabadi, Mohammad; Jiang, Allen; Lu, Kai; Chen, Chien-An; Deleon, John; Wetzel, John

PA Synaptic Pharmaceutical Corporations, USA

SO PCT Int. Appl., 129 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004005257	A1	20040115	WO 2003-US21391	20030703
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	CA 2485379	AA	20040115	CA 2003-2485379	20030703
	BR 2003012257	A	20050412	BR 2003-12257	20030703
	EP 1556351	A1	20050727	EP 2003-763374	20030703
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	JP 2005532399	T2	20051027	JP 2004-520047	20030703
	US 2005245743	A1	20051103	US 2004-518675	20041217
	NO 2005000113	A	20050110	NO 2005-113	20050110
PRAI	US 2002-189145	A2	20020703		
	WO 2003-US21391	W	20030703		

OS MARPAT 140:93936

RE.CNT 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD

ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 8 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN

AN 1996:724180 CAPLUS

DN 126:8121

TI Preparation of N-phenylbiphenylcarboxamide derivatives as 5HT1D antagonists

IN Gaster, Laramie Mary; Mulholland, Keith Raymond

PA Smithkline Beecham Plc, UK

SO PCT Int. Appl., 29 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9631508	A1	19961010	WO 1996-EP1465	19960402
	W: JP, US				
	RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	EP 819126	A1	19980121	EP 1996-910020	19960402
	R: BE, CH, DE, ES, FR, GB, IT, LI, NL, FI				
	JP 11503143	T2	19990323	JP 1996-529986	19960402
	US 5919932	A	19990706	US 1997-930848	19971007
PRAI	GB 1995-7203	A	19950407		



WO 1996-EP1465 W 19960402
OS MARPAT 126:8121

L4 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1945:3199 CAPLUS
DN 39:3199
OREF 39:522c-f
TI Configuration of some 4,5-diarylpiperidones
AU Koelsch, C. F.; Raffauf, Robert F.
SO Journal of the American Chemical Society (1944), 66, 1857-8
CODEN: JACSAT; ISSN: 0002-7863
DT Journal
LA Unavailable
OS CASREACT 39:3199

=> d bib abs hitstr 8-9

L4 ANSWER 8 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN
AN 1996:724180 CAPLUS
DN 126:8121
TI Preparation of N-phenylbiphenylcarboxamide derivatives as 5HT1D
antagonists
IN Gaster, Laramie Mary; Mulholland, Keith Raymond
PA Smithkline Beecham Plc, UK
SO PCT Int. Appl., 29 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	WO 9631508	A1	19961010	WO 1996-EP1465	19960402
	W: JP, US				
	RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	EP 819126	A1	19980121	EP 1996-910020	19960402
	R: BE, CH, DE, ES, FR, GB, IT, LI, NL, FI				
	JP 11503143	T2	19990323	JP 1996-529986	19960402
	US 5919932	A	19990706	US 1997-930848	19971007
PRAI	GB 1995-7203	A	19950407		
	WO 1996-EP1465	W	19960402		
OS	MARPAT 126:8121				
GI					



AB Novel biphenyl amide derivs. [I; R1 = H, halo, C1-6 (hydroxy)alkyl or (hydroxy)alkoxy, C3-6 cycloalkyl, C1-6 alkylcarbonyl, HO, C1-6 alkoxy-C1-6 alkyl, acyl, NO2, CF3, cyano, S(O)_nR9 (n = 0, 1,2), SO₂NR10R11, CO₂R10, NR10SO₂R11, CONR10R11, (un)substituted 5- to 7-membered heterocyclyl containing 1-3 heteroatoms selected from O, N, and S, etc.; wherein R9 - R11 = H, C1-6 alkyl; R2, R3 = H, halo, C1-6 alkyl, C3-6 cycloalkyl or cycloalkenyl, C1-6 alkoxy, C1-6 hydroxyalkyl, C1-6 alkoxy-C1-6 alkyl, acyl, aryl, acyloxy, OH, NO2, CF3, cyano, CO₂ R10, CONR10R11, NR10R11; wherein R10, R11 = same as above; R4 = H, C1-6 alkyl; R5 = H, halo, HO, C1-6 alkyl or alkoxy; or R4 and R5 together form (CR12R13)_q or (CR12R13)_rD; wherein q = 2,3,4; R12, R13 = H, C1-6 alkyl; r = 0, 1-3; D = O, S, CR12:CR13; R6 = 5- to 7-membered saturated or partially saturated heterocyclyl containing 1-3 heteroatoms selected from O, N, and S, (un)substituted [6.6] or [6.5] bicyclic ring containing a N atom and optionally a further heteroatom selected from O, N, and S], which are 5HT_{1D} antagonists and useful for the treatment of central nervous system (CNS) disorders, are prepared Thus, 2'-methyl-4'-(5-methyl-1,2,4-oxadiazol-3-yl)biphenyl-4-carboxylic acid was stirred with oxalyl chloride in the presence of one drop of DMF for 2 h to the crude acid chloride, which was condensed with 4-(5-amino-2-methoxyphenyl)-1-methylpiperidine (preparation given) in the presence of Et₃N in CH₂Cl₂ to give the title compound, N-(piperidinylphenyl)oxadiazolylbiphenylcarboxamide derivative (II).


IT **183810-03-9P**

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of N-phenylbiphenylcarboxamide derivs. as 5HT_{1D} antagonists for treatment of central nervous system disorders)

RN 183810-03-9 CAPLUS

CN [1,1'-Biphenyl]-4-carboxamide, N-[4-methoxy-3-(4-piperidinyl)phenyl]-2'-methyl-4'-(5-methyl-1,2,4-oxadiazol-3-yl)- (9CI) (CA INDEX NAME)



L4 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2005 ACS on STN

AN 1945:3199 CAPLUS

DN 39:3199

OREF 39:522c-f

TI Configuration of some 4,5-diarylpiperidones

AU Koelsch, C. F.; Raffauf, Robert F.

SO Journal of the American Chemical Society (1944), 66, 1857-8

CODEN: JACSAT; ISSN: 0002-7863

DT Journal

LA Unavailable


OS CASREACT 39:3199

AB The 2 forms of 4,5-diphenyl-2-piperidone (I) (C. A. 38, 102.3), m. 192-4° and 177-8°, are shown to be the cis and trans forms through a synthesis of Beckmann rearrangements of the oximes of the 2 known forms of 3,4-diphenylcyclopentanone (C. A. 33, 5368.4). m-H₂NC₆H₄CH:CHCO₂Et (50 g.) and 46 g. PhCH₂CN in 40 ml. EtOH containing 2 g. Na (temperature rise to 75°) give 86% of Et β-(m-aminophenyl)-γ-phenyl-γ-cyanobutyrate (II), which could not be distilled or crystallized; the picrate, yellow, m. 181-2°. Hydrogenation of II in EtOH with Raney Ni at 150° and 100 atmospheric gives 56% of 4-(m-aminophenyl)-5-phenyl-2-piperidone (III), the 2 forms of which were separated by crystallization from C₆H₆; the cis-III m. 183.5-4.5°; the trans-III m. 173.5-5°; the 2 Ac derivs. m. 206.5-7.5° and 233-4.5°. Nitration of the cis-Ac derivative in AcOH gives a poor yield of 4-[5-acetamido-2(?) -nitrophenyl]-5-phenyl-2-piperidone, yellow, m. 252-7° (decomposition). The 2 forms of III, through the diazo reaction, give the 2 forms of I. The diazo solns. with KI give the cis-4-(m-iodophenyl) analog, m. 146-9°, and the trans isomer, m. 180-2.5°; the cis-4-(m-hydroxyphenyl) analog m. 232-3° and the trans isomer m. 218-24° (36 and 38% yields, resp.); the 2 Me ethers m. 100-2° and 184-5°. Reduction of cis-III with Na gives cis-4-(m-aminophenyl)-3-phenylpiperidine, b₉ 230-5°; the salts were hygroscopic solids or oils.


IT **857620-86-1**, Acetanilide, 4-nitro-3-(2-oxo-5-phenyl-4-piperidyl)-
858263-40-8, 2-Piperidone, 4-(m-acetamidophenyl)-5-phenyl-
(preparation of)

RN 857620-86-1 CAPLUS

CN Acetanilide, 4-nitro-3-(2-oxo-5-phenyl-4-piperidyl)- (4CI) (CA INDEX NAME)




RN 858263-40-8 CAPLUS
CN INDEX NAME NOT YET ASSIGNED



AN 2002:965133 CAPLUS
 DN 138:39277
 TI Preparation of N-thiazolyl-N'-pyridyl ureas as antitumor agents
 IN Askew, Benny C.; De Morin, Frenel F.; Hague, Andrew; Laber, Ellen; Li, Aiwon; Liu, Gang; Lopez, Patricia; Nomak, Rana; Santora, Vincent; Tegley, Christopher; Yang, Kevin
 PA Amgen, Inc., USA
 SO U.S. Pat. Appl. Publ., 129 pp., Cont.-in-part of U. S. Ser. No. 930,753.
 CODEN: USXXCO
 DT Patent
 LA English
 FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 2002193405	A1	20021219	US 2002-77124	20020215
	US 6645990	B2	20031111		
	US 2002173507	A1	20021121	US 2001-930753	20010814
	CA 2476411	AA	20030828	CA 2003-2476411	20030213
	WO 2003070727	A1	20030828	WO 2003-US4537	20030213
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	EP 1483263	A1	20041208	EP 2003-711046	20030213
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
	US 2004039029	A1	20040226	US 2003-631423	20030730
	US 2004044044	A1	20040304	US 2003-632044	20030730
PRAI	US 2000-225793P	P	20000815		
	US 2001-930753	A2	20010814		
	US 2002-77124	A	20020215		
	WO 2003-US4537	W	20030213		
OS	MARPAT 138:39277				
GI					




AB The title compds. [I; R15 = H, heterocyclyl, Ph, etc.; R16 = H, heterocyclylcarbonyl, alkylaminocarbonyl, etc.; R17 = halo, alkyl, cycloalkyl, etc.; provided only one of R15 and R16 = H] which are effective for prophylaxis and treatment of diseases, such as cell proliferation or apoptosis mediated diseases involving stroke, cancer and the like, were prepared. Thus, heating 2-phenyl-4-thiazolylcarbonylazide with 6-(3-methylpiperidin-1-ylmethyl)pyridin-2-ylamine in PhMe afforded the urea I [R15 = 3-methylpiperidin-1-ylmethyl; R16 = H; R17 = Ph] which showed cdk2/cyclin and cdk5/p25 kinase activity with IC50 of < 0.5 μ M.

IT 478365-42-3P
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic)

preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of N-thiazolyl-N'-pyridyl ureas as antitumor agents)

RN 478365-42-3 CAPLUS

CN [2,4'-Bipyridine]-1'-(2'H)-carboxylic acid, 3',6'-dihydro-6-[[[2-(4-pyridinyl)-4-thiazolyl]amino]carbonyl]amino]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)



IT 478365-35-4P 478365-37-6P 478365-40-1P

478365-41-2P 478365-43-4P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of N-thiazolyl-N'-pyridyl ureas as antitumor agents)

RN 478365-35-4 CAPLUS

CN Urea, N-[2-(4-pyridinyl)-4-thiazolyl]-N'-(1',2',3',6'-tetrahydro-1'-methyl[2,4'-bipyridin]-6-yl)- (9CI) (CA INDEX NAME)

